



Certificate of conformity

001/006647

AENOR certifies that the organization

HELIROMA PLASTICOS, S.A.

registered office ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5 3850-184 ALBERGARIA-A-VELHA (Portugal)

supplies **Polypropylene random with modified cristallinity pipes (PP-RCT) and glass fiber (PP-RCT)/PP-RCT+GF /PP-RCT) for installation of hot and cold water inside the building structure**

in compliance with TECHNICAL SPECIFICATION TO RP 001.78

Description Trademark: ROMAFASER CT
Fiberglass content: 6%
Fiberglass content of the middle layer: 17%

See annex for more information.

Production site ZONA INDUSTRIAL, EN-1 / IC-2, KM 250,5 3850-184 ALBERGARIA-A-VELHA (Portugal)

Certification scheme In order to grant this Certificate, AENOR has tested the product and has verified the quality system implemented for its manufacture. AENOR performs these tasks periodically while the Certificate has not been cancelled, in accordance with Specific Rules RP 01.78.

This certificate supersedes 001/006647, dated 2021-11-07

First issued on 2016-11-07
Modified on 2024-04-25
Validity 2026-11-07

Rafael GARCÍA MEIRO
CEO



Certificate of conformity

001/006647

Annex to Certificate

Description Trademark: ROMAFASER CT
Fiberglass content: 6%
Fiberglass content of the middle layer: 17%

SERIE	DIAMETERS (mm)	APPLICATION CLASS / DESIGN PRESSURE (bar)	OPACITY
3,2	20 - 25 - 32	1/10 ; 2/10 ; 4/10 ; 5/8	Yes
4,0	32 - 50 - 63 - 90	1/8 ; 2/8 ; 4/8 ; 5/6	Yes
5,0	40 - 50 - 63 - 75 - 90 - 110 - 125 - 160 - 200 - 250 - 315 - 355 - 400	1/6 ; 2/6 ; 4/6 ; 5/4	Yes

First issued on 2016-11-07
Modified on 2024-04-25
Validity 2026-11-07

